

Name	Picture	Applicable model	Dimension(mm)	Weight(kg)
Screening bucket		08	1400*820*690	140
		10	1720*840*700	170
		12/15/16	1720*840*720	170
		18/20/28	2000*1000*880	220
Pallet fork		08	1400*1000*700	205
		10	1560*1000*700	225
		12/15/16	1560*1000*700	225
		18/20/28	1560*1300*800	260
Adjustable double pallet fork		08	1450*1590*850	280
		10	1450*1590*850	280
		12/15/16	1600*1590*850	345
		18/20/28	1600*1590*850	345
Sweeper		08	1600*1100*700	180
		10	1800*1100*700	190
		12/15/16	2000*1100*700	200
		18/20/28	2000*1100*700	200
Sweeper		08	1600*1700*700	220
		10	1800*1700*700	230
		12/15/16	2000*1700*700	280
		18/20/28	2000*1700*700	280
Closed street sweeper		08	1500*1300*700	340
		10	1700*1500*700	400
		12/15/16	1700*1500*700	400
		18/20/28	1800*1500*700	440

Snow blade		08	1800*870*700	280
		10	1800-870-700	330
		12/15/16	2000*870*700	330
		18/20/28	2700-850-950	360
V blade		08	1800*870*700	280
		10	1800-870-700	280
		12/15/16	2000*870*700	300
		18/20/28	2200-880-850	320
4 in 1 bucket		08	1400*890*800	160
		10	1620-850-880	240
		12/15/16	1620-850-880	240
		18/20/28	2000-900-940	320
Dustpan bucket		08	1800*1000*570	260
		10	2000*1000*570	310
		12/15/16	2000*1000*570	310
		18/20/28	2000*1000*570	310
Drum clamp		08	1600*1400*1000	180
		10	1600*1400*1000	180
		12/15/16	1600*1400*1000	180
		18/20/28	1600*1400*1000	180
Mixing bucket # model		08	1200*800*600	170
		10	1720-840-700	190
		12/15/16	1720*840*720	190
		18/20/28	2000-1000-880	440
Bale grab		08	不能用	
		10	1600-1500-700	360
		12/15/16	1600-1500-700	360
		18/20/28	1600-1500-700	360

Backhoe		08	1500-900-700	160
		10	1500-900-700	160
		12/15/16	1500-900-700	160
		18/20/28	1500-900-700	160
Earth auger		08	直径200-2000-900	180
		10	直径300-2500-900	220
		12/15/16	直径300-2500-900	220
		18/20/28	直径300-2500-900	220
Hammer		08	不能用	
		10	1500-900-700	200
		12/15/16	1500-900-700	200
		18/20/28	1500-900-700	200
Lifting arm		08	1800-900-480	130
		10	2200-900-520	230
		12/15/16	2200-900-520	230
		18/20/28	2200-900-520	230
Bale spear (2 teeth)		08	1300-900-720	100
		10	1300-900-720	100
		12/15/16	1300-900-720	100
		18/20/28	1300-900-720	100
Grass fork		08	1600*1000*970	280
		10	1600*1000*970	320
		12/15/16	1600*1000*970	320
		18/20/28	2200-1400-1050	460

Grass bucket		08	1200*800*600	220
		10	1720-840-700	260
		12/15/16	1720*840*720	260
		18/20/28	2000-1000-880	330
Europe grasp fork		08	1400-1000-900	300
		10	1400-1000-900	300
		12/15/16	1400-1000-900	300
		18/20/28	1400-1000-900	300
New European grass fork		08	1200-1150-840	180
		10	1300-1150-840	180
		12/15/16	1620-1150-840	240
		18/20/28	1620-1150-840	240
Grasp fork		08	1200*800*600	220
		10	1720-840-700	260
		12/15/16	1720*840*720	260
		18/20/28	2000-1000-880	330
Log clamp - H model		08	1000-1100-950	200
		10	1200-1100-1050	220
		12/15/16	1200-1100-1050	220
		18/20/28	1500-1100-1150	350
Log clamp - A model		08	1000-1100-950	200
		10	1200-1100-1050	220
		12/15/16	1200-1100-1050	220
		18/20/28	1500-1100-1150	350

Grass cutter		08	1400-1600-600	200
		10	1600-1600-600	220
		12/15/16	1600-1600-600	220
		18/20/28	2000-1600-600	300
Grab bucket		08	1200*800*600	220
		10	1720-840-700	260
		12/15/16	1720*840*720	260
		18/20/28	2000-1000-880	330
Excavator		08	不能用	
		10	3000-1700-1900	500
		12/15/16	3000-1700-1900	500
		18/20/28	3000-1700-1900	500
Sand spreader		08	1700-860-670-	210
		10	1800-800-850	230
		12/15/16	1800-800-850	230
		18/20/28	2200-930-1100	420